

Report Number:	22-006171/D008.R001
Report Date:	06/07/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	05/26/22 15:42

This is an amended version of report# 22-006171/D008.R000. Reason: Updated customer information.

Customer:	ATLRx
Product identity:	D8 Vape - Sour Space Candy
Client/Metrc ID:	
Laboratory ID:	22-006171-0004

Summary

Analyte	Result (%)				
∆8-THC	86.2		CBD-Total	<loq< td=""></loq<>	
∆8-THCV	0.162				
CBT⁺	0.0796	• 8-THC	THC-Total	<loq< td=""></loq<>	
		 8-THCV CBT 	(Reported in percent of total sample)		

Page 1 of 9 <u>www.columbialaboratories.com</u> Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Tester exception without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number: 22-006171/D008.R001 **Report Date:** 06/07/2022 **ORELAP#:** OR100028 Purchase Order: **Received:** 05/26/22 15:42

Customer:	ATLRx 875 North Main Street
	Alpharetta, Georgia 30009
	United States of America (USA)
Product identity: Client/Metrc ID:	D8 Vape - Sour Space Candy .
Sample Date: Laboratory ID:	22-006171-0004 No
Evidence of Cooling:	27.4 °C
Temp: Relinquished by:	Client

Sample Results

Potency	Method J	AOAC 2015 V98	8-6 (mod)	Units %	Batch: 2204621	Analyze: 5/31/22	10:57:00 PM
Analyte	As	Dry LOQ	Notes				
	Received	weight					
CBC	< LOQ	0.0737					
CBC-A [†]	< LOQ	0.0737					
CBC-Total [†]	< LOQ	0.138					8-THC
CBD	< LOQ	0.0737					8-THCV
CBD-A	< LOQ	0.0737					CBT
CBD-Total	< LOQ	0.138					
CBDV [†]	< LOQ	0.0737					
CBDV-A [†]	< LOQ	0.0737					
CBDV-Total [†]	< LOQ	0.138					
CBE [†]	< LOQ	0.0737					
CBG [†]	< LOQ	0.0737					
CBG-A [†]	< LOQ	0.0737					
CBG-Total	< LOQ	0.138					
CBL [†]	< LOQ	0.0737					
CBL-A [†]	< LOQ	0.0737					
CBL-Total [†]	< LOQ	0.138					
CBN	< LOQ	0.0737					
CBT [†]	0.0796	0.0737					
∆8-THC	86.2	0.737					
∆8-THCV	0.162	0.0737					
∆9-THC	< LOQ	0.0737					
exo-THC	< LOQ	0.0737					
THC-A	< LOQ	0.0737					
THC-Total	< LOQ	0.138					
THCV [†]	< LOQ	0.0737					
THCV-A [†]	< LOQ	0.0737					
THCV-Total [†]	< LOQ	0.138					
Total Cannabinoids [†]	86.4						

 Www.columbialaboratories.com
 Page 2 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





 Report Number:
 22-006171/D008.R001

 Report Date:
 06/07/2022

 ORELAP#:
 OR100028

 Purchase Order:
 Keceived:

 05/26/22 15:42
 05/26/22 15:42

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

[†] = Analyte not NELAP accredited.

Units of Measure

% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-006171/D008.R001
Report Date:	06/07/2022
ORELAP#:	OR100028
Purchase Order:	

Received:

05/26/22 15:42

C	Columbia
	LABORATORIES
	A Tentamus Company

Hemp / Cannabis Usable / Extract / Finished Products **Chain of Custody Record**

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021

ORELAP ID: OR100028

							4	Analys	is Rec	queste	ed			1999	р	O Number:	
SI Ci	ompany: IHC Contact: Kyle Farook reet: 431 NW Flanders st Portland State: I Email Results: dropbox : (61) 608164 Fx Results ling (if different): joel@theher	:()		- OR 59 compounds	esticide Multi-Residue – 379 compounds		olvents	Moisture & Water Activity		Vicro: Yeast and Mold	Vicro: E.Coli and Total Coliform	tals	St		Proje Pro Custom Report t	PO Number:	
Lab ID	Client Sample Identification	Date	Time	Pesticides -	Pesticide I	Potency	Residual Solvents	Moisture	Terpenes	Micro: Yea	Micro: E.C	Heavy Metals	Mycotoxins	Other:	Sample Type †	Weight (Units)	Comments/Metrc ID
1	D8 Vape - Runtz					х									С		-Sample #6- Report in
2	D8 Vape - Mango Dosi					х		2							С		mg_analyte per 3.6g unit serving size
3	D8 Vape - Tangie Skun	k		1		х		- 11							С		
4	D8 Vape - Sour Space	Candy				x									С		
5	Lemon Meringe Indoor	FLT				Х			x		1				V		sample, test accordingly please.
6	07GMY304					Х									E		-
7	Live CBD Sugar - STs					х									С		-
8	13DST_052622					x									С		-
9						1											
10																	
	Relinguished By:	Date	Time	Received By:				D	ate	Tir	me			Lab Use Only:			
Ку	le Farook	5/26	4:30				5-26 15:42		42	□ Shipped Via: or ဩ Client drop Evidence of cooling: □ Yes ဩ No - Temp (°C): Sample in good condition2 ¹ 2 Yes □ No □ Cash □ Check □ CC □ Net:							
							-								Prelog st	orage:	

+ - Sample Type Codes: Vegetation (V) ; Isolates (S) ; Extract/Concentrate (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms

12423 NE Whitaker Way Portland, OR 97230

P: (503) 254-1794 | Fax: (503) 254-1452 info@columbialaboratories.com

Page _____of____ www.columbialaboratories.com

Page 4 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-006171/D008.R001
Report Date:	06/07/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	05/26/22 15:42

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015	J AOAC 2015 V98-6 Batch ID: 2204621											
Laboratory Co	ontrol Sample	2										
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes				
CBDVA	1	0.102	0.100	%	102	80.0 - 120	Acceptable					
CBDV	1	0.111	0.100	%	111	80.0 - 120	Acceptable					
CBE	1	0.0955	0.100	%	95.5	80.0 - 120	Acceptable					
CBDA	1	0.0986	0.100	%	98.6	90.0 - 110	Acceptable					
CBGA	1	0.0954	0.100	%	95.4	80.0 - 120	Acceptable					
CBG	1	0.0929	0.100	%	92.9	80.0 - 120	Acceptable					
CBD	1	0.0968	0.100	%	96.8	90.0 - 110	Acceptable					
THCV	1	0.0987	0.100	%	98.7	80.0 - 120	Acceptable					
d8THCV	1	0.0990	0.100	%	99.0	80.0 - 120	Acceptable					
THCVA	1	0.0980	0.100	%	98.0	80.0 - 120	Acceptable					
CBN	1	0.0986	0.100	%	98.6	90.0 - 110	Acceptable					
exo-THC	1	0.0907	0.100	%	90.7	80.0 - 120	Acceptable					
d9THC	1	0.0920	0.100	%	92.0	90.0 - 110	Acceptable					
d8THC	1	0.0912	0.100	%	91.2	80.0 - 120	Acceptable					
CBL	1	0.0914	0.100	%	91.4	80.0 - 120	Acceptable					
9R-HHC	3	0.0949	0.100	%	94.9	80.0 - 120	Acceptable					
CBC	1	0.100	0.100	%	100	80.0 - 120	Acceptable					
9S-HHC	3	0.0939	0.100	%	93.9	80.0 - 120	Acceptable					
THCA	1	0.0961	0.100	%	96.1	90.0 - 110	Acceptable					
CBCA	1	0.103	0.100	%	103	80.0 - 120	Acceptable					
CBLA	1	0.0986	0.100	%	98.6	80.0 - 120	Acceptable					
d8THCO	3	0.0870	0.100	%	87.0	80.0 - 120	Acceptable					
CBT	1	0.0886	0.100	%	88.6	80.0 - 120	Acceptable					
d9THCO	3	0.0844	0.100	%	84.4	80.0 - 120	Acceptable					

Method Blank

Nethou Dialik						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBDV	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBE	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBDA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBGA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBG	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBD	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
THCV	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d8THCV	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
THCVA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBN	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
exo-THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d9THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d8THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBL	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
9R-HHC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
9S-HHC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
THCA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBCA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBLA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d8THCO	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBT	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d9THCO	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

Page 5 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number: 22-006171/D008.R001 **Report Date:** 06/07/2022 **ORELAP#:** OR100028 **Purchase Order:** 05/26/22 15:42 **Received:**

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 6 of 9

Page 6 of 9 www.columbialaboratories.com Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-006171/D008.R001
Report Date:	06/07/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	05/26/22 15:42

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results								
J AOAC 2015	V98-6				Bat	ch ID: 2204621		
Sample Dupl	icate							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBD	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d8THCV	0.399	0.409	0.077	%	2.49	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d8THC	83.8	85.2	0.077	%	1.71	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
9R-HHC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
9S-HHC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d8THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBT	0.134	0.369	0.077	%	93.4	< 20	Outlier	R
d9THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

Page 7 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	22-006171/D008.R001
Report Date:	06/07/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	05/26/22 15:42



Page 8 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number: 22-006171/D008.R001 **Report Date:** 06/07/2022 **ORELAP#:** OR100028 **Purchase Order:** 05/26/22 15:42 **Received:**

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 Www.columbialaboratories.com
 Page 9 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	22-010580/D006.R001
Report Date:	09/13/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	09/06/22 13:15

This is an amended version of report# 22-010580/D006.R000. Reason: Updated customer information.

Customer:	ATLrx
Product identity:	D8 - SSC_HT
Client/Metrc ID:	
Laboratory ID:	22-010580-0005

Summary

Analyte	Percent by weight	Percent of Total	Analyte	Percent by weight	Percent of Total
ß-Myrcene	1.28	29.98%	Terpinolene	1.23	28.81%
p-Cymene	0.299	7.00%	(R)-(+)-Limonene	0.270	6.32%
trans-ß-Ocimene	0.222	5.20%	ß-Caryophyllene	0.186	4.36%
a-pinene	0.167	3.91%	farnesene	0.161	3.77%
(-)-ß-Pinene	0.124	2.90%	Humulene	0.0852	2.00%
a-phellandrene	0.0492	1.15%	a-Terpinene	0.0461	1.08%
a-Bisabolol	0.0426	1.00%	d-3-Carene	0.0362	0.85%
Linalool	0.0255	0.60%	gamma-Terpinene	0.0245	0.57%
cis-ß-Ocimene	0.0195	0.46%	Total Terpenes	4.27	100.00%

Page 1 of 4
<u>www.columbialaboratories.com</u>
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testere success and the columbia conservations of the samples are received by the laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made. Testing in accordance with:





Report Number:	22-010580/D006.R001
Report Date:	09/13/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	09/06/22 13:15

Customer:

ATLrx

Product identity:	D8 - SSC_HT
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-010580-0005
Evidence of Cooling:	No
Temp:	7.4 °C
Relinquished by:	Giuffrida

Sample Results


Page 2 of 4 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with:





22-010580/D006.R001 **Report Number: Report Date:** 09/13/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 09/06/22 13:15

Terpenes	Method:	J AOAC	2015 V98-6		Units % Batch 2	207586	Analyz	ze 09/08/22	03:59 AM
Analyte	Result	LOQ	% of Total	Notes	Analyte	Result	LOQ	% of Total	Notes
ß-Myrcene	1.28	0.018	29.98%		Terpinolene	1.23	0.018	28.81%	
p-Cymene	0.299	0.018	7.002%		(R)-(+)-Limonene	0.270	0.018	6.323%	
trans-ß-Ocimene	0.222	0.012	5.199%		ß-Caryophyllene	0.186	0.018	4.356%	
a-pinene	0.167	0.018	3.911%		farnesene	0.161	0.018	3.770%	
(-)-ß-Pinene	0.124	0.018	2.904%		Humulene	0.0852	0.018	1.9953%	
a-phellandrene	0.0492	0.018	1.1522%		a-Terpinene	0.0461	0.018	1.0796%	
a-Bisabolol	0.0426	0.018	0.9977%		d-3-Carene	0.0362	0.018	0.8478%	
Linalool	0.0255	0.018	0.5972%		gamma-Terpinene	0.0245	0.018	0.5738%	
cis-ß-Ocimene	0.0195	0.006	0.4567%		(-)-Guaiol	< LOQ	0.018	0.00%	
(+)-fenchol	< LOQ	0.018	0.00%		Menthol	< LOQ	0.018	0.00%	
(-)-a-Terpineol	< LOQ	0.018	0.00%		nerol	< LOQ	0.018	0.00%	
Eucalyptol	< LOQ	0.018	0.00%		Geranyl acetate	< LOQ	0.018	0.00%	
Geraniol	< LOQ	0.018	0.00%		(-)-caryophyllene oxide	< LOQ	0.018	0.00%	
Camphene	< LOQ	0.018	0.00%		(±)-cis-Nerolidol	< LOQ	0.018	0.00%	
Sabinene	< LOQ	0.018	0.00%		(±)-trans-Nerolidol	< LOQ	0.018	0.00%	
Isoborneol	< LOQ	0.018	0.00%		(+)-Pulegone	< LOQ	0.018	0.00%	
(+)-Borneol	< LOQ	0.018	0.00%		a-cedrene	< LOQ	0.018	0.00%	
(+)-Cedrol	< LOQ	0.018	0.00%		(-)-Isopulegol	< LOQ	0.018	0.00%	
(±)-Camphor	< LOQ	0.018	0.00%		(±)-fenchone	< LOQ	0.018	0.00%	
Sabinene hydrate	< LOQ	0.018	0.00%		valencene	< LOQ	0.018	0.00%	
Total Terpenes	4.27								



Page 3 of 4
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester except an exception of the except of Testing in accordance with:





 Report Number:
 22-010580/D006.R001

 Report Date:
 09/13/2022

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 09/06/22 13:15
 09/06/22 13:15

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

% = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 4

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. The accordance with: