

Certificate of Analysis

Prepared For:Evergreen LeafLaboratory ID:2022-10-20-007Sample ID:Blackberry GleauxDate Received:10/20/2022Batch ID:Date Reported:10/27/2022

Sample Weight (mg):N/ATesting Protocol:PotencyMaterial:BiomassTesting Method:HPLC



Water Activity	рН	Moisture	Density (g/mL)	Terpenes
NT	NT	NT	NT	NT

Cannabinoid Potency Analysis

			Analyte
Δ10-THC (R+S)	0.00%		Δ10-THC (R+S)
Δ9-ΤΗС	0.09%		Δ9-ΤΗС
Δ9-ΤΗСΑ	0.64%		Δ9-ΤΗCΑ
Δ8-ΤΗС	0.00%		Δ8-ΤΗС
Δ9-ΤΗСΡ	0.00%		Δ9-ΤΗСΡ
Δ9-THC-O Acetate	0.00%		Δ9-THC-O Acet
HHC (R+S)	0.00%		HHC (R+S)
Δ9-THCV	0.00%		Δ9-ΤΗCV
Δ9-THCVA	0.00%		Δ9-ΤΗCVA
CBD	0.77%		CBD
CBDA		17.41%	CBDA
CBDV	0.00%		CBDV
CBDVA	0.12%		CBDVA
CBG	0.04%		CBG
CBGA	0.37%		CBGA
CBN	0.00%		CBN
CBNA	0.12%		CBNA
CBC	0.04%		CBC

Analyte	LOQ (%)	(%)	(mg/g)
Δ10-THC (R+S)	0.01	0.00%	0.0
Δ9-ΤΗС	0.01	0.09%	0.9
Δ9-ΤΗCΑ	0.01	0.64%	6.4
Δ8-ΤΗС	0.01	0.00%	0.0
Δ9-ΤΗСΡ	0.01	0.00%	0.0
Δ9-THC-O Acetate	0.01	0.00%	0.0
HHC (R+S)	0.01	0.00%	0.0
Δ9-THCV	0.01	0.00%	0.0
Δ9-THCVA	0.01	0.00%	0.0
CBD	0.01	0.77%	7.7
CBDA	0.01	17.41%	174.1
CBDV	0.01	0.00%	0.0
CBDVA	0.01	0.12%	1.2
CBG	0.01	0.04%	0.4
CBGA	0.01	0.37%	3.7
CBN	0.01	0.00%	0.0
CBNA	0.01	0.12%	1.2
CBC	0.01	0.04%	0.4
CBCA	0.01	0.91%	9.1
Total		20.50%	205.0



Agrozen Laboratory
Authenticity QR Code

Analyst:
Josh Peterson
Date Tested:
10/20/2022

0.91%

20.50%
Total Cannabinoids

0.65%Total THC

16.03% Total CBD

Total THC = THCa * $0.877 + \Delta 9$ -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation, ND= Not Detected, NT = Not Tested, NR = Not Reported, Density Tested at a temperature range of 19-24 °C, Water Activity tested at a humidity range of 0.90% relative humidity.

Final Approval:

Jeffer A. Peter

Jeff Peterson, Lab Director

Buid Sell

Brian Schroeder, Managing Partner

Date Signed and Approved:

10/27/2022

417 Ransdell Road, Lebanon, IN 46052 (844)-655-6935 agrozenlabs.com



Agrozen Labs provides COA's based on samples received into our facility and analysis according to our SOP's. Tests are completed at our certified testing laboratory through the State of Indiana by certified laboratory technicians. Reference standards and test samples are measured against submitted samples to ensure testing accuracy. Agrozen Labs has generated the information for our client who reserves all rights to the report. The report may not be duplicated, except in full, or altered without written consent from Agrozen Labs.