PharmLabs San Diego Certificate of Analysis

Sample Biscotti

Delta9 THC 0.19%

THCa 22.06%

Total THC (THCa \* 0.877 + THC) 19.54%

Delta8 THC ND



Sample ID SD250226-099 (108217)		Matrix Flower
Tested for		
Sampled -	Received Feb 26, 2025	Reported Feb 27, 2025
Analuses executed CAN+ MWA		

## \* CAN+ - Cannabinoids

Total Cannabinoids Analyzed

Analyzed Feb 26, 2025 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level LOD mg/g LOQ mg/g Cannabidivarin (CBDV) 0.039 0.16 ND ND Cannabidibutol (CBDb) 0.011 0.03 0.05 0.49 Cannabidiolic Acid (CBDA) 0.033 0.16 2.55 25.50 Cannabigerol Acid (CBGA) 0.033 0.16 0.22 2.24 Cannabigerol (CBG) 0.048 0.16 ND ND Cannabidiol (CBD) 0.069 0.229 0.23 2.32 Tetrahydrocannabivarin (THCV) 0.049 0.162 ND ND Cannabinol (CBN) 0.047 0.16 ND ND 0.092 0.307 Tetrahydrocannabinol (Δ9-THC) 0.19 1.89 ND Δ8-tetrahydrocannabinol (Δ8-THC) 0.044 0.16 ND 0.0012 Cannabicyclol (CBL) 0.16 ND ND 0.62 Cannabichromene (CBC) 0.002 0.16 0.06 Tetrahydrocannabinolic Acid (THCA) 0.389 22.06 220.61 0.117 Total THC ( THCa \* 0.877 + **\Delta**9THC ) 19.54 195.36 Total THC +  $\triangle$ 8THC ( THCa \* 0.877 +  $\triangle$ 9THC +  $\triangle$ 8THC ) 19.54 195.36 Total CBD ( CBDa \* 0.877 + CBD ) 2.47 24.68 Total CBG ( CBGa \* 0.877 + CBG ) 1.96

\*Dry Weight %

223.12

## MWA - Moisture Content & Water Activity

Analyzed Feb 26, 2025 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	LOD %	LOQ %	Result	Limit	Analyte	LOD %	LOQ %	Result	Limit
Moisture (Moi)	0.0	0.0	7.6 % Mw	13 % Mw	Water Activity (WA)	0.03	0.03	0.54 a <sub>w</sub>	0.85 a <sub>w</sub>

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
4.0Q Detected
VULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-000098-LIC

DEA license: RP0611043

ISO/IEC 17025:2017 Acc. 85368

Authorized Signature

Branden Starr Brandon Starr, Quality Assurance Manager

