



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
Lic# AT-2868

QA Testing

1 of 4

San Buzi

Sample ID: 2510NBL1155.3240

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 11/04/2025

Completed: 11/12/2025

Expires: 11/12/2026

External Lot ID: T-208

Batch#: T-208

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com



Summary

Test	Date Tested	Result
Cannabinoids	11/04/2025	Complete
Residual Solvents	11/05/2025	Complete
Microbials	11/05/2025	Complete
Mycotoxins	11/06/2025	Complete
Pesticides	11/06/2025	Complete
Heavy Metals	11/12/2025	Complete
Foreign Matter	11/05/2025	Not Detected

Cannabinoids

Complete

8.925 mg/unit

Total THC

0.0026%

Δ^9 -THC

ND

Total CBD

13.196 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.8682	1.302	ND	ND	ND
9R-HHC	0.8682	1.302	ND	ND	ND
(6aR,9S)-d10-THC	0.8682	1.302	ND	ND	ND
9S-HHC	0.8682	1.302	ND	ND	ND
CBC	0.8682	1.302	ND	ND	ND
CBCa	0.8682	1.302	ND	ND	ND
CBD	0.8682	1.302	ND	ND	ND
CBDa	0.8682	1.302	ND	ND	ND
CBDV	0.8682	1.302	ND	ND	ND
CBDVa	0.8682	1.302	ND	ND	ND
CBG	0.8682	1.302	4.271	0.01207	0.001
CBGa	0.8682	1.302	ND	ND	ND
CBN	0.8682	1.302	ND	ND	ND
CBNa	0.8682	1.302	ND	ND	ND
Δ^8 -THC	0.8682	1.302	ND	ND	ND
Δ^9 -THC	0.8682	1.302	8.925	0.02521	0.003
THCa	0.8682	1.302	ND	ND	ND
THCp	0.8682	1.302	ND	ND	ND
THCV	0.8682	1.302	ND	ND	ND
THCVa	0.8682	1.302	ND	ND	ND
Total THC			8.925	0.02521	0.003
Total CBD			ND	ND	ND
Total			13.196	0.03728	0.004

Date Tested: 11/04/2025

Density: 1 mL = 0.981 g, Unit Mass: 347.274 g, 1 Unit = 12 fl oz

Testing Method: HPLC, CON-P-3000

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: $\pm$ 0.040%, Total CBD Measurement of Uncertainty: $\pm$ 2.000%



Ashley N Phillips

Ashley Phillips
Laboratory Director
11/12/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
Lic# AT-2868

QA Testing

2 of 4

San Buzi

Sample ID: 2510NBL1155.3240

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 11/04/2025

Completed: 11/12/2025

Expires: 11/12/2026

External Lot ID: T-208

Batch#: T-208

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.101	0.029		ND	Tested	Hexythiazox	0.097	0.029		ND	Tested
Acephate	0.097	0.029		ND	Tested	Imazalil	0.097	0.029		ND	Tested
Acequinocyl	0.097	0.029		ND	Tested	Imidacloprid	0.097	0.029		ND	Tested
Acetamiprid	0.097	0.029		ND	Tested	Kresoxim Methyl	0.097	0.029		ND	Tested
Aldicarb	0.097	0.029		ND	Tested	Malathion	0.097	0.029		ND	Tested
Azoxystrobin	0.097	0.029		ND	Tested	Metalaxyl	0.097	0.029		ND	Tested
Bifenazate	0.097	0.029		ND	Tested	Methiocarb	0.097	0.029		ND	Tested
Bifenthrin	0.097	0.029		ND	Tested	Methomyl	0.097	0.029		ND	Tested
Boscalid	0.097	0.029		ND	Tested	Mevinphos	0.097	0.029		ND	Tested
Captan	0.682	0.205		ND	Tested	MGK-264	0.097	0.029		ND	Tested
Carbaryl	0.097	0.029		ND	Tested	Myclobutanil	0.097	0.029		ND	Tested
Carbofuran	0.097	0.029		ND	Tested	Naled	0.244	0.074		ND	Tested
Chlorantraniliprole	0.097	0.029		ND	Tested	Oxamyl	0.097	0.029		ND	Tested
Chlorfenapyr	0.078	0.029		ND	Tested	Paclobutrazol	0.097	0.029		ND	Tested
Chlormequat	0.097	0.029		ND	Tested	Methyl Parathion	0.078	0.029		ND	Tested
Chlorpyrifos	0.097	0.029		ND	Tested	Pentachloronitrobenzene	0.078	0.029		ND	Tested
Clofentezine	0.097	0.029		ND	Tested	Permethrins	0.097	0.029		ND	Tested
Coumaphos	0.097	0.029		ND	Tested	Phosmet	0.097	0.029		ND	Tested
Cyfluthrin	0.487	0.146		ND	Tested	Piperonyl Butoxide	0.097	0.029		ND	Tested
Cypermethrin	0.487	0.146		ND	Tested	Prallethrin	0.097	0.029		ND	Tested
Daminozide	0.975	0.292		ND	Tested	Propiconazole	0.097	0.029		ND	Tested
Diazinon	0.097	0.029		ND	Tested	Propoxur	0.097	0.029		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested	Pyrethrins	0.487	0.146		ND	Tested
Dimethoate	0.097	0.029		ND	Tested	Pyridaben	0.097	0.029		ND	Tested
Ethoprophos	0.097	0.029		ND	Tested	Spinetoram	0.097	0.029		ND	Tested
Etofenprox	0.097	0.029		ND	Tested	Spinosad	0.099	0.029		ND	Tested
Etoxazole	0.097	0.029		ND	Tested	Spiromesifen	0.097	0.029		ND	Tested
Fenhexamid	0.097	0.029		ND	Tested	Spirotetramat	0.097	0.029		ND	Tested
Fenoxycarb	0.097	0.029		ND	Tested	Spiroxamine	0.097	0.029		ND	Tested
Fenpyroximate	0.097	0.029		ND	Tested	Tebuconazole	0.097	0.029		ND	Tested
Fipronil	0.097	0.029		ND	Tested	Thiacloprid	0.097	0.029		ND	Tested
Flonicamid	0.097	0.029		ND	Tested	Thiamethoxam	0.097	0.029		ND	Tested
Fludioxonil	0.097	0.029		ND	Tested	Trifloxystrobin	0.097	0.029		ND	Tested

Date Tested: 11/06/2025

Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley N Phillips

Ashley Phillips
Laboratory Director
11/12/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
Lic# AT-2868

QA Testing

3 of 4

San Buzi

Sample ID: 2510NBL1155.3240

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 11/04/2025

Completed: 11/12/2025

Expires: 11/12/2026

External Lot ID: T-208

Batch#: T-208

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

Microbials

Complete

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	31.620	ND	Tested
Salmonella	31.730	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	29.780	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 11/05/2025

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 11/06/2025

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.094		ND	Tested
Cadmium	0.047	0.094		ND	Tested
Lead	0.047	0.094		ND	Tested
Mercury	0.047	0.094		ND	Tested
Palladium	0.047	0.236		ND	Tested
Selenium	0.047	0.094		ND	Tested

Date Tested: 11/12/2025

Testing Method: ICP/MS, CON-P-7000



Ashley N Phillips

Ashley Phillips
Laboratory Director
11/12/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
<http://newbloomlabs.com>
Lic# AT-2868

QA Testing

4 of 4

San Buzi

Sample ID: 2510NBL1155.3240

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 11/04/2025

Completed: 11/12/2025

Expires: 11/12/2026

External Lot ID: T-208

Batch#: T-208

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	72.115	240.385		ND	Tested
Benzene	0.288	0.962		ND	Tested
n-Butane	66.346	221.154		ND	Tested
Isobutane	66.346	221.154		ND	Tested
Ethanol	72.115	240.385		ND	Tested
Ethyl Acetate	72.115	240.385		ND	Tested
Heptane	72.115	240.385		ND	Tested
n-Hexane	1.442	4.808		ND	Tested
2,2-Dimethylbutane	1.442	4.808		ND	Tested
3-Methylpentane	1.442	4.808		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.885	9.615		ND	Tested
Methanol	28.846	96.154		ND	Tested
Isopentane	66.346	221.154		ND	Tested
n-Pentane	28.846	96.154		ND	Tested
Neopentane	66.346	221.154		ND	Tested
2-Propanol	72.115	240.385		ND	Tested
Propane	288.462	961.538		ND	Tested
Toluene	0.144	0.481		ND	Tested
Ethylbenzene	0.144	0.481		ND	Tested
m/p-Xylene	0.144	0.481		ND	Tested
o-Xylene	0.144	0.481		ND	Tested

Date Tested: 11/05/2025

Testing Method: HS-GC/MS, CON-P-8000



Ashley N Phillips

Ashley Phillips
Laboratory Director
11/12/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000