



New Bloom Labs  
6121 Heritage Park Dr.  
Chattanooga, TN 37416

(844) 837-8223  
http://newbloomlabs.com  
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

## San Buzi Strawberry Lemonade

Sample ID: 2512NBL1540.4413

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 12/24/2025

Completed: 01/06/2026

Expires: 01/06/2027

External Lot ID: T-244

Batch#: T-244

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com



### Summary

Test	Date Tested	Result
Cannabinoids	12/29/2025	Complete
Residual Solvents	12/31/2025	Complete
Microbials	12/30/2025	Complete
Mycotoxins	01/06/2026	Complete
Pesticides	01/06/2026	Complete
Heavy Metals	12/31/2025	Complete
Foreign Matter	12/24/2025	Not Detected

### Cannabinoids

Complete

**10.176 mg/unit**

Total THC

**0.0028%**

Δ9-THC

**ND**

Total CBD

**15.434 mg/unit**

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
(6aR,9R)-d10-THC	mg/unit	mg/unit	ND	ND	ND
9R-HHC	0.8983	1.347	ND	ND	ND
(6aR,9S)-d10-THC	0.8983	1.347	ND	ND	ND
9S-HHC	0.8983	1.347	ND	ND	ND
CBC	0.8983	1.347	ND	ND	ND
CBCa	0.8983	1.347	ND	ND	ND
CBD	0.8983	1.347	ND	ND	ND
CBDa	0.8983	1.347	ND	ND	ND
CBDV	0.8983	1.347	ND	ND	ND
CBDVa	0.8983	1.347	ND	ND	ND
CBG	0.8983	1.347	5.258	0.01485	0.001
CBGa	0.8983	1.347	ND	ND	ND
CBN	0.8983	1.347	ND	ND	ND
CBNa	0.8983	1.347	ND	ND	ND
Δ8-THC	0.8983	1.347	ND	ND	ND
Δ9-THC	0.8983	1.347	10.176	0.02875	0.003
THCa	0.8983	1.347	ND	ND	ND
THCp	0.8983	1.347	ND	ND	ND
THCV	0.8983	1.347	ND	ND	ND
THCVa	0.8983	1.347	ND	ND	ND
<b>Total THC</b>			<b>10.176</b>	<b>0.02875</b>	<b>0.003</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>15.434</b>	<b>0.04360</b>	<b>0.004</b>

Date Tested: 12/29/2025

Density: 1 mL = 1.015 g, Unit Mass: 359.310 g, 1 Unit = 12 fl oz

Testing Method: HPLC, CON-P-3000

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
01/06/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 505-5866  
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs  
6121 Heritage Park Dr.  
Chattanooga, TN 37416

(844) 837-8223  
http://newbloomlabs.com  
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

## San Buzi Strawberry Lemonade

Sample ID: 2512NBL1540.4413

Received: 12/24/2025

Client

Matrix: Ingestible

Completed: 01/06/2026

**Scofflaw Brewing Company**

Type: Beverage

Expires: 01/06/2027

Lic. #

Sample Size:

External Lot ID: T-244

1738 MacArthur Blvd NW Atlanta, GA 30318

Batch#: T-244

(843) 602-1641 jp@scofflawbeer.com

### Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
Abamectin	0.100	0.029	ND	Tested	Hexythiazox	0.096	0.029	ND	ND	Tested	
Acephate	0.096	0.029	ND	Tested	Imazalil	0.096	0.029	ND	ND	Tested	
Acequinocyl	0.096	0.029	ND	Tested	Imidacloprid	0.096	0.029	ND	ND	Tested	
Acetamiprid	0.096	0.029	ND	Tested	Kresoxim Methyl	0.096	0.029	ND	ND	Tested	
Aldicarb	0.096	0.029	ND	Tested	Malathion	0.096	0.029	ND	ND	Tested	
Azoxystrobin	0.096	0.029	ND	Tested	Metalaxyl	0.096	0.029	ND	ND	Tested	
Bifenazate	0.096	0.029	ND	Tested	Methiocarb	0.096	0.029	ND	ND	Tested	
Bifenthrin	0.096	0.029	ND	Tested	Methomyl	0.096	0.029	ND	ND	Tested	
Boscalid	0.096	0.029	ND	Tested	Mevinphos	0.096	0.029	ND	ND	Tested	
Captan	0.672	0.202	ND	Tested	Myclobutanil	0.096	0.029	ND	ND	Tested	
Carbaryl	0.096	0.029	ND	Tested	Naled	0.240	0.073	ND	ND	Tested	
Carbofuran	0.096	0.029	ND	Tested	Oxamyl	0.096	0.029	ND	ND	Tested	
Chlorantraniliprole	0.096	0.029	ND	Tested	Paclobutrazol	0.096	0.029	ND	ND	Tested	
Chlorfenapyr	0.077	0.029	ND	Tested	Methyl Parathion	0.077	0.029	ND	ND	Tested	
Chlorimequat	0.096	0.029	ND	Tested	Pentachloronitrobenzene	0.077	0.029	ND	ND	Tested	
Chlorpyrifos	0.096	0.029	ND	Tested	Permethrins	0.096	0.029	ND	ND	Tested	
Clofentezine	0.096	0.029	ND	Tested	Phosmet	0.096	0.029	ND	ND	Tested	
Coumaphos	0.096	0.029	ND	Tested	Piperonyl Butoxide	0.096	0.029	ND	ND	Tested	
Cyfluthrin	0.480	0.144	ND	Tested	Prallethrin	0.096	0.029	ND	ND	Tested	
Cypermethrin	0.480	0.144	ND	Tested	Propiconazole	0.096	0.029	ND	ND	Tested	
Daminozide	0.960	0.288	ND	Tested	Propoxur	0.096	0.029	ND	ND	Tested	
Diazinon	0.096	0.029	ND	Tested	Pyrethrins	0.480	0.144	ND	ND	Tested	
Dichlorvos	0.048	0.015	ND	Tested	Pyridaben	0.096	0.029	ND	ND	Tested	
Dimethoate	0.096	0.029	ND	Tested	Spinetoram	0.096	0.029	ND	ND	Tested	
Ethoprophos	0.096	0.029	ND	Tested	Spinosad	0.098	0.029	ND	ND	Tested	
Etofenprox	0.096	0.029	ND	Tested	Spiromesifen	0.096	0.029	ND	ND	Tested	
Etoxazole	0.096	0.029	ND	Tested	Spirotetramat	0.096	0.029	ND	ND	Tested	
Fenhexamid	0.096	0.029	ND	Tested	Spiroxamine	0.096	0.029	ND	ND	Tested	
Fenoxy carb	0.096	0.029	ND	Tested	Tebuconazole	0.096	0.029	ND	ND	Tested	
Fenpyroximate	0.096	0.029	ND	Tested	Thiacloprid	0.096	0.029	ND	ND	Tested	
Fipronil	0.096	0.029	ND	Tested	Thiamethoxam	0.096	0.029	ND	ND	Tested	
Flonicamid	0.096	0.029	ND	Tested	Trifloxystrobin	0.096	0.029	ND	ND	Tested	
Fludioxonil	0.096	0.029	ND	Tested							

Date Tested: 01/06/2026

Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
01/06/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs  
6121 Heritage Park Dr.  
Chattanooga, TN 37416

(844) 837-8223  
http://newbloomlabs.com  
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

## San Buzi Strawberry Lemonade

Sample ID: 2512NBL1540.4413

Received: 12/24/2025

Client

Matrix: Ingestible

Completed: 01/06/2026

**Scofflaw Brewing Company**

Type: Beverage

Expires: 01/06/2027

Lic. #

Sample Size:

External Lot ID: T-244

1738 MacArthur Blvd NW Atlanta, GA 30318

Batch#: T-244

(843) 602-1641 jp@scofflawbeer.com

### Microbials

Complete

Analyte	LOD	Result	Status
Shiga Toxin-producing E. Coli	Cq	Cq	
Salmonella	31.620	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	31.730	ND	Tested
	29.780	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
Aerobic Bacteria	CFU/g	CFU/g	
Enterobacteriaceae (BTGN)	9	9	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	9	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 12/30/2025

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

### Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
B1	PPB	PPB	PPB	PPB	
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 01/06/2026

Testing Method: LC/MS/MS, CON-P-5000

### Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
Arsenic	PPM	PPM	PPM	PPM	
Cadmium	0.046	0.093		ND	Tested
Lead	0.046	0.093		ND	Tested
Mercury	0.046	0.093		ND	Tested
Palladium	0.046	0.231		ND	Tested
Selenium	0.046	0.093		ND	Tested

Date Tested: 12/31/2025

Testing Method: ICP/MS, CON-P-7000



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
01/06/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs  
6121 Heritage Park Dr.  
Chattanooga, TN 37416

(844) 837-8223  
http://newbloomlabs.com  
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

## San Buzi Strawberry Lemonade

Sample ID: 2512NBL1540.4413

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 12/24/2025

Completed: 01/06/2026

Expires: 01/06/2027

External Lot ID: T-244

Batch#: T-244

Client

**Scofflaw Brewing Company**

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

### Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	72.115	240.385		ND	Tested
Benzene	0.288	0.962		ND	Tested
n-Butane	66.346	221.154		ND	Tested
Isobutane	66.346	221.154		ND	Tested
Ethanol	72.115	240.385		ND	Tested
Ethyl Acetate	72.115	240.385		ND	Tested
Heptane	72.115	240.385		ND	Tested
n-Hexane	1.442	4.808		ND	Tested
2,2-Dimethylbutane	1.442	4.808		ND	Tested
3-Methylpentane	1.442	4.808		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.885	9.615		ND	Tested
Methanol	28.846	96.154		ND	Tested
Isopentane	66.346	221.154		ND	Tested
n-Pentane	28.846	96.154		ND	Tested
Neopentane	66.346	221.154		ND	Tested
2-Propanol	72.115	240.385		ND	Tested
Propane	288.462	961.538		ND	Tested
Toluene	0.144	0.481		ND	Tested
Ethylbenzene	0.144	0.481		ND	Tested
m/p-Xylene	0.144	0.481		ND	Tested
o-Xylene	0.144	0.481		ND	Tested

Date Tested: 12/31/2025  
Testing Method: HS-GC/MS, CON-P-8000



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
01/06/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000