

LLBL34

Sample ID: 2601NBL0149.0443
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 01/22/2026
Completed: 01/30/2026
Expires: 01/30/2027
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com



Summary

Test	Date Tested	Result
Cannabinoids	01/22/2026	Complete
Terpenes	01/29/2026	Complete
Residual Solvents	01/30/2026	Complete
Microbials	01/26/2026	Complete
Mycotoxins	01/28/2026	Complete
Pesticides	01/28/2026	Complete
Heavy Metals	01/28/2026	Complete
Foreign Matter	01/22/2026	Not Detected

Cannabinoids

Complete

4.743 mg/unit Total THC	0.0013% Δ9-THC	5.095 mg/unit Total CBD	9.838 mg/unit Total Cannabinoids
-----------------------------------	--------------------------	-----------------------------------	--------------------------------------------

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9071	1.361	ND	ND	ND
9R-HHC	0.9071	1.361	ND	ND	ND
(6aR,9S)-d10-THC	0.9071	1.361	ND	ND	ND
9S-HHC	0.9071	1.361	ND	ND	ND
CBC	0.9071	1.361	ND	ND	ND
CBCa	0.9071	1.361	ND	ND	ND
CBD	0.9071	1.361	5.095	0.01439	0.001
CBDa	0.9071	1.361	ND	ND	ND
CBDV	0.9071	1.361	ND	ND	ND
CBDVa	0.9071	1.361	ND	ND	ND
CBG	0.9071	1.361	ND	ND	ND
CBGa	0.9071	1.361	ND	ND	ND
CBN	0.9071	1.361	ND	ND	ND
CBNa	0.9071	1.361	ND	ND	ND
Δ8-THC	0.9071	1.361	ND	ND	ND
Δ9-THC	0.9071	1.361	4.743	0.01340	0.001
THCa	0.9071	1.361	ND	ND	ND
THCp	0.9071	1.361	ND	ND	ND
THCV	0.9071	1.361	ND	ND	ND
THCVa	0.9071	1.361	ND	ND	ND
Total THC			4.743	0.01340	0.001
Total CBD			5.095	0.01439	0.001
Total			9.838	0.02779	0.003

Date Tested: 01/22/2026
Density: 1 mL = 1.025 g, Unit Mass: 362.850 g, 1 Unit = 12 fl oz
Testing Method: HPLC, CON-P-3000
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected
Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



LLBL34

Sample ID: 2601NBL0149.0443

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/22/2026

Completed: 01/30/2026

Expires: 01/30/2027

External Lot ID:

Batch#:

Client

Port Orleans Brewing Company

Lic. #

4124 Tchoupitoulas St. New Orleans, LA 70115

(504) 266-2332 benjamink@portorleans.com



Terpenes

Complete

Analyte	LOD	LOQ	Result	Result
	PPM	PPM	mg/g	%
α-Bisabolol	0.1667	0.5556	0.00	0.000
1,8-Cineole	0.1667	0.5556	ND	ND
3-Carene	0.1667	0.5556	ND	ND
α-Humulene	0.1667	0.5556	ND	ND
α-Pinene	0.1667	0.5556	ND	ND
α-Terpinene	0.1667	0.5556	ND	ND
β-Caryophyllene	0.1667	0.5556	ND	ND
β-Myrcene	0.1667	0.5556	ND	ND
Borneol	0.1667	0.5556	ND	ND
Camphene	0.1667	0.5556	ND	ND
Caryophyllene Oxide	0.1667	0.5556	ND	ND
Citral	0.1667	0.5556	ND	ND
Fenchone	0.1667	0.5556	ND	ND
γ-Terpinene	0.1667	0.5556	ND	ND
Limonene	0.1667	0.5556	<LOQ	<LOQ
Linalool	0.1667	0.5556	ND	ND
Menthol	0.1667	0.5556	ND	ND
Nerolidol	0.1667	0.5556	ND	ND
Ocimene	0.1667	0.5556	ND	ND
(+)-Dihydrocarveol	0.1667	0.5556	ND	ND
Pulegone	0.1667	0.5556	ND	ND
Terpinolene	0.1667	0.5556	ND	ND
Total			0.00	0.000

Primary Aromas



Date Tested: 01/29/2026

Total terpenes value is qualitative and includes concentrations outside the assay quantitative analytical range. Testing Method: HS-GC/MS, CON-P-4000



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLBL34

Sample ID: 2601NBL0149.0443
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 01/22/2026
Completed: 01/30/2026
Expires: 01/30/2027
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.100	0.029		ND	Tested	Hexythiazox	0.096	0.029		ND	Tested
Acephate	0.096	0.029		ND	Tested	Imazalil	0.096	0.029		ND	Tested
Acequinocyl	0.096	0.029		ND	Tested	Imidacloprid	0.096	0.029		ND	Tested
Acetamiprid	0.096	0.029		ND	Tested	Kresoxim Methyl	0.096	0.029		ND	Tested
Aldicarb	0.096	0.029		ND	Tested	Malathion	0.096	0.029		ND	Tested
Azoxystrobin	0.096	0.029		ND	Tested	Metalaxyl	0.096	0.029		ND	Tested
Bifenazate	0.096	0.029		ND	Tested	Methiocarb	0.096	0.029		ND	Tested
Bifenthrin	0.096	0.029		ND	Tested	Methomyl	0.096	0.029		ND	Tested
Boscalid	0.096	0.029		ND	Tested	Mevinphos	0.096	0.029		ND	Tested
Captan	0.673	0.202		ND	Tested	Myclobutanil	0.096	0.029		ND	Tested
Carbaryl	0.096	0.029		ND	Tested	Naled	0.240	0.073		ND	Tested
Carbofuran	0.096	0.029		ND	Tested	Oxamyl	0.096	0.029		ND	Tested
Chlorantraniliprole	0.096	0.029		ND	Tested	Pacllobutrazol	0.096	0.029		ND	Tested
Chlorfenapyr	0.077	0.029		ND	Tested	Methyl Parathion	0.077	0.029		ND	Tested
Chlormequat	0.096	0.029		ND	Tested	Pentachloronitrobenzene	0.077	0.029		ND	Tested
Chlorpyrifos	0.096	0.029		ND	Tested	Permethrins	0.096	0.029		ND	Tested
Clofentezine	0.096	0.029		ND	Tested	Phosmet	0.096	0.029		ND	Tested
Coumaphos	0.096	0.029		ND	Tested	Piperonyl Butoxide	0.096	0.029		ND	Tested
Cyfluthrin	0.481	0.144		ND	Tested	Prallethrin	0.096	0.029		ND	Tested
Cypermethrin	0.481	0.144		ND	Tested	Propiconazole	0.096	0.029		ND	Tested
Daminozide	0.962	0.288		ND	Tested	Propoxur	0.096	0.029		ND	Tested
Diazinon	0.096	0.029		ND	Tested	Pyrethrins	0.481	0.144		ND	Tested
Dichlorvos	0.048	0.015		ND	Tested	Pyridaben	0.096	0.029		ND	Tested
Dimethoate	0.096	0.029		ND	Tested	Spinetoram	0.096	0.029		ND	Tested
Ethoprophos	0.096	0.029		ND	Tested	Spinosad	0.098	0.029		ND	Tested
Etofenprox	0.096	0.029		ND	Tested	Spiromesifen	0.096	0.029		ND	Tested
Etoxazole	0.096	0.029		ND	Tested	Spirotetramat	0.096	0.029		ND	Tested
Fenhexamid	0.096	0.029		ND	Tested	Spiroxamine	0.096	0.029		ND	Tested
Fenoxycarb	0.096	0.029		ND	Tested	Tebuconazole	0.096	0.029		ND	Tested
Fenpyroximate	0.096	0.029		ND	Tested	Thiacloprid	0.096	0.029		ND	Tested
Fipronil	0.096	0.029		ND	Tested	Thiamethoxam	0.096	0.029		ND	Tested
Flonicamid	0.096	0.029		ND	Tested	Trifloxystrobin	0.096	0.029		ND	Tested
Fludioxonil	0.096	0.029		ND	Tested						

Date Tested: 01/28/2026
Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLBL34

Sample ID: 2601NBL0149.0443
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 01/22/2026
Completed: 01/30/2026
Expires: 01/30/2027
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com

Microbials

Complete

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	40.000	ND	Tested
Salmonella	40.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	40.000	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	9	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 01/26/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 01/28/2026

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.096		ND	Tested
Cadmium	0.048	0.096		ND	Tested
Lead	0.048	0.096		ND	Tested
Mercury	0.048	0.096		ND	Tested
Palladium	0.048	0.239		ND	Tested
Selenium	0.048	0.096		ND	Tested

Date Tested: 01/28/2026

Testing Method: ICP/MS, CON-P-7000



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLBL34

Sample ID: 2601NBL0149.0443
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 01/22/2026
Completed: 01/30/2026
Expires: 01/30/2027
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	72.115	240.385		ND	Tested
Benzene	0.288	0.962		ND	Tested
n-Butane	66.346	221.154		ND	Tested
Isobutane	66.346	221.154		ND	Tested
Ethanol	72.115	240.385		<LOQ	Tested
Ethyl Acetate	72.115	240.385		ND	Tested
Heptane	72.115	240.385		ND	Tested
n-Hexane	1.442	4.808		ND	Tested
2,2-Dimethylbutane	1.442	4.808		ND	Tested
3-Methylpentane	1.442	4.808		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.885	9.615		ND	Tested
Methanol	28.846	96.154		ND	Tested
Isopentane	66.346	221.154		ND	Tested
n-Pentane	28.846	96.154		ND	Tested
Neopentane	66.346	221.154		ND	Tested
2-Propanol	72.115	240.385		ND	Tested
Propane	288.462	961.538		ND	Tested
Toluene	0.144	0.481		ND	Tested
Ethylbenzene	0.144	0.481		ND	Tested
m/p-Xylene	0.144	0.481		ND	Tested
o-Xylene	0.144	0.481		ND	Tested

Date Tested: 01/30/2026
Testing Method: HS-GC/MS, CON-P-8000



Ashley Phillips

Ashley Phillips
Laboratory Director
01/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

