



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
Lic# AT-2868

LL10HUR1

Sample ID: 2510NBL1160.3261
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 11/03/2025
Completed: 11/19/2025
Expires: 11/19/2026
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com



Summary

Test	Date Tested	Result
Cannabinoids	11/03/2025	Complete
Residual Solvents	11/03/2025	Complete
Microbials	11/17/2025	Complete
Mycotoxins	11/17/2025	Complete
Pesticides	11/17/2025	Complete
Heavy Metals	11/19/2025	Complete
Foreign Matter	11/03/2025	Not Detected

Cannabinoids

Complete

9.231 mg/unit Total THC	0.0026% Δ9-THC	ND Total CBD	9.231 mg/unit Total Cannabinoids
-----------------------------------	--------------------------	------------------------	--

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.8921	1.338	ND	ND	ND
9R-HHC	0.8921	1.338	ND	ND	ND
(6aR,9S)-d10-THC	0.8921	1.338	ND	ND	ND
9S-HHC	0.8921	1.338	ND	ND	ND
CBC	0.8921	1.338	ND	ND	ND
CBCa	0.8921	1.338	ND	ND	ND
CBD	0.8921	1.338	ND	ND	ND
CBDa	0.8921	1.338	ND	ND	ND
CBDV	0.8921	1.338	ND	ND	ND
CBDVa	0.8921	1.338	ND	ND	ND
CBG	0.8921	1.338	ND	ND	ND
CBGa	0.8921	1.338	ND	ND	ND
CBN	0.8921	1.338	ND	ND	ND
CBNa	0.8921	1.338	ND	ND	ND
Δ8-THC	0.8921	1.338	ND	ND	ND
Δ9-THC	0.8921	1.338	9.231	0.02608	0.003
THCa	0.8921	1.338	ND	ND	ND
THCp	0.8921	1.338	ND	ND	ND
THCV	0.8921	1.338	ND	ND	ND
THCVa	0.8921	1.338	ND	ND	ND
Total THC			9.231	0.02608	0.003
Total CBD			ND	ND	ND
Total			9.231	0.02608	0.003

Date Tested: 11/03/2025
Density: 1 mL = 1.008 g, Unit Mass: 356.832 g, 1 Unit = 12 fl oz
Testing Method: HPLC, CON-P-3000

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected
Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%

THC/ Serving: 9.231 mg
1 Serving: 1 Unit: 356.832 g
Total THC/ 4 Unit pack: 36.924 mg



Ashley N Phillips

Ashley Phillips
Laboratory Director
11/19/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LL10HUR1

Sample ID: 2510NBL1160.3261
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 11/03/2025
Completed: 11/19/2025
Expires: 11/19/2026
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.097	0.028		ND	Tested	Hexythiazox	0.093	0.028		ND	Tested
Acephate	0.093	0.028		ND	Tested	Imazalil	0.093	0.028		ND	Tested
Acequinocyl	0.093	0.028		ND	Tested	Imidacloprid	0.093	0.028		ND	Tested
Acetamiprid	0.093	0.028		ND	Tested	Kresoxim Methyl	0.093	0.028		ND	Tested
Aldicarb	0.093	0.028		ND	Tested	Malathion	0.093	0.028		ND	Tested
Azoxystrobin	0.093	0.028		ND	Tested	Metalaxyl	0.093	0.028		ND	Tested
Bifenazate	0.093	0.028		ND	Tested	Methiocarb	0.093	0.028		ND	Tested
Bifenthrin	0.093	0.028		ND	Tested	Methomyl	0.093	0.028		ND	Tested
Boscalid	0.093	0.028		ND	Tested	Mevinphos	0.093	0.028		ND	Tested
Captan	0.652	0.196		ND	Tested	MGK-264	0.093	0.028		ND	Tested
Carbaryl	0.093	0.028		ND	Tested	Myclobutanil	0.093	0.028		ND	Tested
Carbofuran	0.093	0.028		ND	Tested	Naled	0.233	0.071		ND	Tested
Chlorantraniliprole	0.093	0.028		ND	Tested	Oxamyl	0.093	0.028		ND	Tested
Chlorfenapyr	0.074	0.028		ND	Tested	Pacloutrazol	0.093	0.028		ND	Tested
Chlormequat	0.093	0.028		ND	Tested	Methyl Parathion	0.074	0.028		ND	Tested
Chlorpyrifos	0.093	0.028		ND	Tested	Pentachloronitrobenzene	0.074	0.028		ND	Tested
Clofentezine	0.093	0.028		ND	Tested	Permethrins	0.093	0.028		ND	Tested
Coumaphos	0.093	0.028		ND	Tested	Phosmet	0.093	0.028		ND	Tested
Cyfluthrin	0.466	0.140		ND	Tested	Piperonyl Butoxide	0.093	0.028		ND	Tested
Cypermethrin	0.466	0.140		ND	Tested	Prallethrin	0.093	0.028		ND	Tested
Daminozide	0.931	0.279		ND	Tested	Propiconazole	0.093	0.028		ND	Tested
Diazinon	0.093	0.028		ND	Tested	Propoxur	0.093	0.028		ND	Tested
Dichlorvos	0.047	0.015		ND	Tested	Pyrethrins	0.466	0.140		ND	Tested
Dimethoate	0.093	0.028		ND	Tested	Pyridaben	0.093	0.028		ND	Tested
Ethoprophos	0.093	0.028		ND	Tested	Spinetoram	0.093	0.028		ND	Tested
Etofenprox	0.093	0.028		ND	Tested	Spinosad	0.095	0.028		ND	Tested
Etoxazole	0.093	0.028		ND	Tested	Spiromesifen	0.093	0.028		ND	Tested
Fenhexamid	0.093	0.028		ND	Tested	Spirotetramat	0.093	0.028		ND	Tested
Fenoxycarb	0.093	0.028		ND	Tested	Spiroxamine	0.093	0.028		ND	Tested
Fenpyroximate	0.093	0.028		ND	Tested	Tebuconazole	0.093	0.028		ND	Tested
Fipronil	0.093	0.028		ND	Tested	Thiacloprid	0.093	0.028		ND	Tested
Flonicamid	0.093	0.028		ND	Tested	Thiamethoxam	0.093	0.028		ND	Tested
Fludioxonil	0.093	0.028		ND	Tested	Trifloxystrobin	0.093	0.028		ND	Tested

Date Tested: 11/17/2025
Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley N Phillips

Ashley Phillips
Laboratory Director
11/19/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LL10HUR1

Sample ID: 2510NBL1160.3261
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 11/03/2025
Completed: 11/19/2025
Expires: 11/19/2026
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com

Microbials

Complete

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	31.620	ND	Tested
Salmonella	31.730	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	29.780	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	28	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	0	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	9	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 11/17/2025

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	5		ND	Tested
B2	1	5		ND	Tested
G1	1	5		ND	Tested
G2	1	5		ND	Tested
Total Aflatoxins	1	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 11/17/2025

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.093		ND	Tested
Cadmium	0.047	0.093		ND	Tested
Lead	0.047	0.093		ND	Tested
Mercury	0.047	0.093		ND	Tested
Palladium	0.047	0.233		ND	Tested
Selenium	0.047	0.093		ND	Tested

Date Tested: 11/19/2025

Testing Method: ICP/MS, CON-P-7000



Ashley N Phillips

Ashley Phillips
Laboratory Director
11/19/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloombmlabs.com
Lic# AT-2868

LL10HUR1

Sample ID: 2510NBL1160.3261
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 11/03/2025
Completed: 11/19/2025
Expires: 11/19/2026
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	66.964	223.214		ND	Tested
Benzene	0.268	0.893		ND	Tested
n-Butane	61.607	205.357		ND	Tested
Isobutane	61.607	205.357		ND	Tested
Ethanol	66.964	223.214		1436.964	Tested
Ethyl Acetate	66.964	223.214		ND	Tested
Heptane	66.964	223.214		ND	Tested
n-Hexane	1.339	4.464		ND	Tested
2,2-Dimethylbutane	1.339	4.464		ND	Tested
3-Methylpentane	1.339	4.464		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.679	8.929		ND	Tested
Methanol	26.786	89.286		ND	Tested
Isopentane	61.607	205.357		ND	Tested
n-Pentane	26.786	89.286		ND	Tested
Neopentane	61.607	205.357		ND	Tested
2-Propanol	66.964	223.214		ND	Tested
Propane	267.857	892.857		ND	Tested
Toluene	0.134	0.446		ND	Tested
Ethylbenzene	0.134	0.446		ND	Tested
m/p-Xylene	0.134	0.446		ND	Tested
o-Xylene	0.134	0.446		ND	Tested

Date Tested: 11/03/2025
Testing Method: HS-GC/MS, CON-P-8000



Ashley N Phillips

Ashley Phillips
Laboratory Director
11/19/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

