

LLSAT15

Sample ID: 2601NBL0149.0444
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 01/22/2026
Completed: 01/30/2026
Expires: 01/30/2027
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com



Summary

Test	Date Tested	Result
Cannabinoids	01/22/2026	Complete
Terpenes	01/29/2026	Complete
Residual Solvents	01/30/2026	Complete
Microbials	01/26/2026	Complete
Mycotoxins	01/28/2026	Complete
Pesticides	01/28/2026	Complete
Heavy Metals	01/28/2026	Complete
Foreign Matter	01/22/2026	Not Detected

Cannabinoids

Complete

4.716 mg/unit Total THC	0.0013% Δ9-THC	5.094 mg/unit Total CBD	9.810 mg/unit Total Cannabinoids
-----------------------------------	--------------------------	-----------------------------------	--

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9036	1.355	ND	ND	ND
9R-HHC	0.9036	1.355	ND	ND	ND
(6aR,9S)-d10-THC	0.9036	1.355	ND	ND	ND
9S-HHC	0.9036	1.355	ND	ND	ND
CBC	0.9036	1.355	ND	ND	ND
CBCa	0.9036	1.355	ND	ND	ND
CBD	0.9036	1.355	5.094	0.01439	0.001
CBDa	0.9036	1.355	ND	ND	ND
CBDV	0.9036	1.355	ND	ND	ND
CBDVa	0.9036	1.355	ND	ND	ND
CBG	0.9036	1.355	ND	ND	ND
CBGa	0.9036	1.355	ND	ND	ND
CBN	0.9036	1.355	ND	ND	ND
CBNa	0.9036	1.355	ND	ND	ND
Δ8-THC	0.9036	1.355	ND	ND	ND
Δ9-THC	0.9036	1.355	4.716	0.01332	0.001
THCa	0.9036	1.355	ND	ND	ND
THCp	0.9036	1.355	ND	ND	ND
THCv	0.9036	1.355	ND	ND	ND
THCVa	0.9036	1.355	ND	ND	ND
Total THC			4.716	0.01332	0.001
Total CBD			5.094	0.01439	0.001
Total			9.810	0.02771	0.003

Date Tested: 01/22/2026
Density: 1 mL = 1.021 g, Unit Mass: 361.434 g, 1 Unit = 12 fl oz
Testing Method: HPLC, CON-P-3000
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected
Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



LLSAT15

Sample ID: 2601NBL0149.0444
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 01/22/2026
Completed: 01/30/2026
Expires: 01/30/2027
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com



Terpenes

Complete

Analyte	LOD	LOQ	Result	Result	
	PPM	PPM	mg/g	%	
Linalool	0.1364	0.4545	0.00	0.000	<div style="width: 100%;"></div>
α-Bisabolol	0.1364	0.4545	0.00	0.000	<div style="width: 80%;"></div>
Limonene	0.1364	0.4545	0.00	0.000	<div style="width: 10%;"></div>
1,8-Cineole	0.1364	0.4545	ND	ND	
3-Carene	0.1364	0.4545	ND	ND	
α-Humulene	0.1364	0.4545	ND	ND	
α-Pinene	0.1364	0.4545	ND	ND	
α-Terpinene	0.1364	0.4545	ND	ND	
β-Caryophyllene	0.1364	0.4545	ND	ND	
β-Myrcene	0.1364	0.4545	ND	ND	
Borneol	0.1364	0.4545	ND	ND	
Camphene	0.1364	0.4545	ND	ND	
Caryophyllene Oxide	0.1364	0.4545	ND	ND	
Citral	0.1364	0.4545	ND	ND	
Fenchone	0.1364	0.4545	ND	ND	
γ-Terpinene	0.1364	0.4545	ND	ND	
Menthol	0.1364	0.4545	ND	ND	
Nerolidol	0.1364	0.4545	ND	ND	
Ocimene	0.1364	0.4545	ND	ND	
(+)-Dihydrocarveol	0.1364	0.4545	ND	ND	
Pulegone	0.1364	0.4545	ND	ND	
Terpinolene	0.1364	0.4545	ND	ND	
Total			0.00	0.000	

Primary Aromas



Date Tested: 01/29/2026

Total terpenes value is qualitative and includes concentrations outside the assay quantitative analytical range. Testing Method: HS-GC/MS, CON-P-4000



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLSAT15

Sample ID: 2601NBL0149.0444
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 01/22/2026
Completed: 01/30/2026
Expires: 01/30/2027
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.101	0.029		ND	Tested	Hexythiazox	0.097	0.029		ND	Tested
Acephate	0.097	0.029		ND	Tested	Imazalil	0.097	0.029		ND	Tested
Acequinocyl	0.097	0.029		ND	Tested	Imidacloprid	0.097	0.029		ND	Tested
Acetamiprid	0.097	0.029		ND	Tested	Kresoxim Methyl	0.097	0.029		ND	Tested
Aldicarb	0.097	0.029		ND	Tested	Malathion	0.097	0.029		ND	Tested
Azoxystrobin	0.097	0.029		ND	Tested	Metalaxyl	0.097	0.029		ND	Tested
Bifenazate	0.097	0.029		ND	Tested	Methiocarb	0.097	0.029		ND	Tested
Bifenthrin	0.097	0.029		ND	Tested	Methomyl	0.097	0.029		ND	Tested
Boscalid	0.097	0.029		ND	Tested	Mevinphos	0.097	0.029		ND	Tested
Captan	0.678	0.203		ND	Tested	Myclobutanil	0.097	0.029		ND	Tested
Carbaryl	0.097	0.029		ND	Tested	Naled	0.242	0.074		ND	Tested
Carbofuran	0.097	0.029		ND	Tested	Oxamyl	0.097	0.029		ND	Tested
Chlorantraniliprole	0.097	0.029		ND	Tested	Pacllobutrazol	0.097	0.029		ND	Tested
Chlorfenapyr	0.078	0.029		ND	Tested	Methyl Parathion	0.078	0.029		ND	Tested
Chlormequat	0.097	0.029		ND	Tested	Pentachloronitrobenzene	0.078	0.029		ND	Tested
Chlorpyrifos	0.097	0.029		ND	Tested	Permethrins	0.097	0.029		ND	Tested
Clofentezine	0.097	0.029		ND	Tested	Phosmet	0.097	0.029		ND	Tested
Coumaphos	0.097	0.029		ND	Tested	Piperonyl Butoxide	0.097	0.029		ND	Tested
Cyfluthrin	0.484	0.145		ND	Tested	Prallethrin	0.097	0.029		ND	Tested
Cypermethrin	0.484	0.145		ND	Tested	Propiconazole	0.097	0.029		ND	Tested
Daminozide	0.969	0.291		ND	Tested	Propoxur	0.097	0.029		ND	Tested
Diazinon	0.097	0.029		ND	Tested	Pyrethrins	0.484	0.145		ND	Tested
Dichlorvos	0.048	0.016		ND	Tested	Pyridaben	0.097	0.029		ND	Tested
Dimethoate	0.097	0.029		ND	Tested	Spinetoram	0.097	0.029		ND	Tested
Ethoprophos	0.097	0.029		ND	Tested	Spinosad	0.099	0.029		ND	Tested
Etofenprox	0.097	0.029		ND	Tested	Spiromesifen	0.097	0.029		ND	Tested
Etoxazole	0.097	0.029		ND	Tested	Spirotetramat	0.097	0.029		ND	Tested
Fenhexamid	0.097	0.029		ND	Tested	Spiroxamine	0.097	0.029		ND	Tested
Fenoxycarb	0.097	0.029		ND	Tested	Tebuconazole	0.097	0.029		ND	Tested
Fenpyroximate	0.097	0.029		ND	Tested	Thiacloprid	0.097	0.029		ND	Tested
Fipronil	0.097	0.029		ND	Tested	Thiamethoxam	0.097	0.029		ND	Tested
Flonicamid	0.097	0.029		ND	Tested	Trifloxystrobin	0.097	0.029		ND	Tested
Fludioxonil	0.097	0.029		ND	Tested						

Date Tested: 01/28/2026
Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLSAT15

Sample ID: 2601NBL0149.0444
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 01/22/2026
Completed: 01/30/2026
Expires: 01/30/2027
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com

Microbials

Complete

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	40.000	ND	Tested
Salmonella	40.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	40.000	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 01/26/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 01/28/2026

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.096		ND	Tested
Cadmium	0.048	0.096		ND	Tested
Lead	0.048	0.096		ND	Tested
Mercury	0.048	0.096		ND	Tested
Palladium	0.048	0.240		ND	Tested
Selenium	0.048	0.096		ND	Tested

Date Tested: 01/28/2026

Testing Method: ICP/MS, CON-P-7000



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLSAT15

Sample ID: 2601NBL0149.0444
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 01/22/2026
Completed: 01/30/2026
Expires: 01/30/2027
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	66.964	223.214		ND	Tested
Benzene	0.268	0.893		ND	Tested
n-Butane	61.607	205.357		ND	Tested
Isobutane	61.607	205.357		ND	Tested
Ethanol	66.964	223.214		903.763	Tested
Ethyl Acetate	66.964	223.214		ND	Tested
Heptane	66.964	223.214		ND	Tested
n-Hexane	1.339	4.464		ND	Tested
2,2-Dimethylbutane	1.339	4.464		ND	Tested
3-Methylpentane	1.339	4.464		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.679	8.929		ND	Tested
Methanol	26.786	89.286		ND	Tested
Isopentane	61.607	205.357		ND	Tested
n-Pentane	26.786	89.286		ND	Tested
Neopentane	61.607	205.357		ND	Tested
2-Propanol	66.964	223.214		ND	Tested
Propane	267.857	892.857		ND	Tested
Toluene	0.134	0.446		ND	Tested
Ethylbenzene	0.134	0.446		ND	Tested
m/p-Xylene	0.134	0.446		ND	Tested
o-Xylene	0.134	0.446		ND	Tested

Date Tested: 01/30/2026
Testing Method: HS-GC/MS, CON-P-8000



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

